

**APPENDIX D**  
**Vascular Plants of the Greenbelt Land Trust Owens Farm Site**

T11S R05W Portions of Sections 13 & 14, Benton County, Oregon

Total species: 198 Native: 119 (60%)

Nomenclature Follows the Oregon Flora Project

Key: N/E = Native/Exotic; R/I = Rare/Invasive

Latin Name	Common Name	N/E	R/I	Notes
<b>Trees (12 species, 8 native)</b>				
<i>Acer macrophyllum</i>	bigleaf maple	N		
<i>Alnus rhombifolia</i>	white alder	N		
<i>Arbutus menziesii</i>	Pacific madrone	N		
<i>Cornus nuttallii</i>	Pacific dogwood	N		
<i>Fraxinus latifolia</i>	Oregon ash	N		
<i>Ilex aquifolium</i>	English holly	E	I	Invades forest understory
<i>Malus x domestica</i>	domestic apple	E		
<i>Populus trichocarpa</i>	black cottonwood	N		
<i>Prunus avium</i>	sweet cherry	E	I	Invades moist forest understory
<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>	Douglas fir	N		
<i>Pyrus communis</i>	domestic pear	E	I	Invades moist prairie
<i>Quercus garryana</i> var. <i>garryana</i>	Oregon white oak	N		
<b>Shrubs, Vines &amp; Small Trees (30 species, 19 native)</b>				
<i>Amelanchier alnifolia</i> var. <i>semiintegrifolia</i>	serviceberry	N		
<i>Berberis aquifolium</i>	tall Oregon grape	N		
<i>Cornus sericea</i>	creek dogwood	N		
<i>Corylus cornuta</i> var. <i>californica</i>	California hazelnut	N		
<i>Crataegus monogyna</i>	English hawthorn	E	I	Invades prairie, moist forest
<i>Crataegus monogyna</i> x <i>suksdorfii</i>	Angloamerican hawthorn	E		
<i>Crataegus suksdorfii</i>	Suksdorf's hawthorn	N		
<i>Daphne laureola</i>	spurge laurel	E	I	Invades forest understory



Latin Name	Common Name	N/E	R/I	Notes
<i>Hedera helix</i>	English ivy	E	I	Very invasive in forest understory
<i>Holodiscus discolor</i>	creambush oceanspray	N		
<i>Juniperus virginiana</i> var. <i>virginiana</i>	eastern redcedar	E		
<i>Ligustrum vulgare</i>	European privet	E	I	Invades prairie, disturbed areas
<i>Oemleria cerasiformis</i>	osoberry	N		
<i>Physocarpus capitatus</i>	Pacific ninebark	N		
<i>Pyracantha coccinea</i>	firethorn	E	I	Invades prairie, disturbed areas
<i>Rhamnus purshiana</i>	cascara	N		
<i>Ribes divaricatum</i> var. <i>divaricatum</i>	straggly gooseberry	N		
<i>Rosa eglanteria</i>	sweetbrier rose	E	I	Invades prairie
<i>Rosa nutkana</i> var. <i>nutkana</i>	Nootka rose	N		Invades prairie
<i>Rosa pisocarpa</i>	clustered wild rose	N		Invades prairie
<i>Rubus armeniacus</i>	Himalayan blackberry	E	I	Invades prairie, forest understory, disturbed areas
<i>Rubus laciniatus</i>	cutleaf blackberry	E	I	Invades prairie
<i>Rubus ursinus</i>	Pacific dewberry	N		
<i>Salix hookeriana</i>	Hooker's willow	N		
<i>Salix lucida</i> ssp. <i>lasiandra</i>	Pacific willow	N		
<i>Salix scouleriana</i>	Scouler's willow	N		
<i>Solanum dulcamara</i>	bitter nightshade	E	I	Weed of wetlands and riparian areas
<i>Spiraea douglasii</i> var. <i>douglasii</i>	hardhack	N		
<i>Symphoricarpos albus</i> var. <i>laevigatus</i>	common snowberry	N		
<i>Toxicodendron diversilobum</i>	poison oak	N		
<b>Forbs (109 species, 66 native)</b>				
<i>Achillea millefolium</i>	yarrow	N		
<i>Anthemis cotula</i>	mayweed	E		
<i>Anthriscus caucalis</i>	bur chervil	E		
<i>Aster hallii</i>	Hall's aster	N		
<i>Aster subspicatus</i>	Douglas' aster	N		
<i>Bidens frondosa</i>	leafy beggarticks	N		
<i>Calandrinia ciliata</i>	red maids	N		



Latin Name	Common Name	N/E	R/I	Notes
<i>Callitriche stagnalis</i>	pond water starwort	E		
<i>Camassia quamash</i>	small camas	N		
<i>Cardamine oligosperma</i> var. <i>oligosperma</i>	western little bittercress	N		
<i>Cardamine penduliflora</i>	Willamette Valley bittercress	N		
<i>Castilleja tenuis</i>	hairy owlclover	N		
<i>Centaurium erythraea</i>	common centaury	E		
<i>Cerastium glomeratum</i>	sticky chickweed	E		
<i>Circaea alpina</i> ssp. <i>pacifica</i>	enchanter's nightshade	N		
<i>Cirsium arvense</i>	Canada thistle	E	I	Weed of open areas, difficult to eradicate
<i>Cirsium vulgare</i>	bull thistle	E	I	Weed of open, disturbed areas
<i>Clarkia amoena</i> ssp. <i>lindleyi</i>	farewell-to-spring	N		
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	miner's lettuce	N		
<i>Claytonia sibirica</i>	Siberian candyflower	N		
<i>Conium maculatum</i>	poison hemlock	E	I	Weed of disturbed moist areas; poisonous
<i>Crepis setosa</i>	bristly hawksbeard	E		
<i>Daucus carota</i>	Queen Anne's lace	E		
<i>Delphinium trolliifolium</i>	poison larkspur	N		
<i>Dipsacus fullonum</i>	common teasel	E		
<i>Downingia elegans</i>	elegant downingia	N		
<i>Elodea canadensis</i>	common waterweed	N		
<i>Epilobium brachycarpum</i>	tall annual willowherb	N		
<i>Epilobium ciliatum</i> ssp. <i>watsonii</i>	Watson's willowherb	N		
<i>Epilobium densiflorum</i>	close flowered boisduvalia	N		
<i>Fragaria virginiana</i> var. <i>platypetala</i>	mountain strawberry	N		
<i>Galium aparine</i>	cleavers	N		
<i>Galium parisiense</i>	wall bedstraw	E		
<i>Geranium dissectum</i>	cutleaf geranium	E		
<i>Geum macrophyllum</i> var. <i>macrophyllum</i>	large leaved avens	N		
<i>Gnaphalium palustre</i>	lowland cudweed	N		
<i>Grindelia integrifolia</i>	Willamette Valley gumweed	N		
<i>Heracleum lanatum</i>	cow parsnip	N		



Latin Name	Common Name	N/E	R/I	Notes
<i>Hypericum perforatum</i>	common St. John's wort	E		
<i>Hypochaeris radicata</i>	hairy cat's ear	E		
<i>Kickxia elatine</i>	sharp leaved fluellin	E		
<i>Lactuca serriola</i>	prickly lettuce	E		
<i>Lapsana communis</i>	nipplewort	E	I	Weed of forest understory
<i>Lathyrus sphaericus</i>	grass pea	E		
<i>Lemna minor</i>	lesser duckweed	N		
<i>Leontodon taraxacoides</i> ssp. <i>taraxacoides</i>	hairy hawkbit	E		
<i>Leucanthemum vulgare</i>	oxeye daisy	E	I	Invades upland prairie
<i>Lomatium nudicaule</i>	barestem lomatium	N		
<i>Lotus pinnatus</i>	bog lotus	N		
<i>Lotus purshianus</i>	Spanish clover	N		
<i>Lotus uliginosus</i>	greater birdfoot trefoil	E	I	Invasive in moist, open habitats
<i>Lupinus polyphyllus</i> var. <i>pallidipes</i>	large leaved lupine	N		
<i>Lythrum hyssopifolium</i>	hyssop loosestrife	E		
<i>Lythrum portula</i>	purslane loosestrife	E		
<i>Madia glomerata</i>	mountain tarweed	N		
<i>Mentha canadensis</i>	field mint	N		
<i>Mimulus guttatus</i>	yellow monkeyflower	N		
<i>Montia fontana</i>	water chickweed	N		
<i>Montia linearis</i>	narrowleaf montia	N		
<i>Myosotis discolor</i>	yellow and blue forget-me-not	E		
<i>Myosotis laxa</i>	small forget-me-not	N		
<i>Navarretia intertextata</i> ssp. <i>intertextata</i>	needle leaved navarretia	N		
<i>Nemophila parviflora</i> var. <i>parviflora</i>	small flowered nemophila	N		
<i>Oenanthe sarmentosa</i>	Pacific water parsley	N		
<i>Osmorhiza berteroi</i>	mountain sweet cicely	N		
<i>Parentucellia viscosa</i>	parentucellia	E		
<i>Perideridia</i> sp.	yampah	N		
<i>Phoradendron villosum</i>	oak mistletoe	N		
<i>Plagiobothrys figuratus</i> ssp. <i>figuratus</i>	fragrant popcorn flower	N		



Latin Name	Common Name	N/E	R/I	Notes
<i>Polygonum aviculare</i>	prostrate knotweed	E		
<i>Polygonum cf. arenastrum</i>	common knotweed	E		
<i>Polygonum persicaria</i>	lady's thumb	E		
<i>Potentilla gracilis</i> var. <i>gracilis</i>	graceful cinquefoil	N		
<i>Prunella vulgaris</i> var. <i>lanceolata</i>	native heal all	N		
<i>Ranunculus occidentalis</i> var. <i>occidentalis</i>	western buttercup	N		
<i>Ranunculus orthorhyncus</i> var. <i>orthorhyncus</i>	straightbeak buttercup	N		
<i>Ranunculus uncinatus</i>	little buttercup	N		
<i>Rumex conglomeratus</i>	clustered dock	E		
<i>Rumex crispus</i>	curly dock	E		
<i>Rumex obtusifolius</i>	broad leaved dock	E		
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific snakeroot	N		
<i>Saxifraga integrifolia</i>	common western saxifrage	N		
<i>Senecio jacobaea</i>	tansy ragwort	E	I	Invasive in open habitats
<i>Senecio vulgaris</i>	common groundsel	E		
<i>Sidalcea campestris</i>	meadow checkermallow	N	R	State Candidate
<i>Sidalcea nelsoniana</i>	Nelson's sidalcea	N	R	Federal and State Listed Endangered
<i>Sisyrinchium idahoense</i> var. <i>idahoense</i>	Idaho blue-eyed-grass	N		
<i>Sonchus asper</i>	prickly sow thistle	E		
<i>Stachys cooleyae</i>	Cooley's hedgenettle	N		
<i>Stachys rigida</i>	rigid hedgenettle	N		
<i>Stellaria calycantha</i>	northern starwort	N		
<i>Stellaria crispa</i>	crisped starwort	N		
<i>Taraxacum officinale</i>	common dandelion	E		
<i>Tellima grandiflora</i>	fringecup	N		
<i>Torilis arvensis</i>	hedge parsley	E		
<i>Trifolium dubium</i>	least hop clover	E		
<i>Trifolium repens</i>	white clover	E		
<i>Trillium albidum</i>	sessile trillium	N		
<i>Triteleia hyacinthina</i>	hyacinth triteleia	N		
<i>Typha latifolia</i>	broadleaf cattail	N		



Latin Name	Common Name	N/E	R/I	Notes
Veratrum sp.	false hellebore	N		
Veronica americana	American brooklime	N		
Veronica peregrina var. xalapensis	purslane speedwell	N		
Veronica scutellata	marsh speedwell	N		
Vicia cracca	bird vetch	E		
Vicia hirsuta	hairy vetch	E		
Vicia sativa var. sativa	common vetch	E		
Vicia tetrasperma	slender vetch	E		
Zigadenus venenosus var. venenosus	meadow deathcamas	N		
<b>Grasses, Rushes &amp; Sedges (42 species, 21 native)</b>				
Agrostis capillaris	colonial bentgrass	E	I	Weed of moist, open habitats
Agrostis stolonifera	creeping bentgrass	E	I	Weed of moist, open habitats
Aira caryophyllea var. caryophyllea	European silver hairgrass	E		
Alopecurus pratensis	meadow foxtail	E	I	Invasive pasture grass of moist to wet habitats
Beckmannia syzigachne	sloughgrass	N		
Brachypodium sylvaticum	false brome	E	I	Aggressive weed of open and shaded habitats
Briza minor	little quakinggrass	E		
Bromus rigidus	ripgut brome	E	I	Invades upland prairie; disturbed areas
Bromus secalinus	chess brome	E	I	Weed of moist to upland prairies
Bromus sitchensis	Sitka brome	N		
Bromus sterilis	poverty brome	E	I	Weed of upland prairies
Carex densa	dense sedge	N		
Carex deweyana ssp. leptopoda	Dewey's sedge	N		
Carex obnupta	slough sedge	N		
Carex pachystachya	thick headed sedge	N		
Carex pellita	wooly sedge	N		
Carex stipata var. stipata	sawbeak sedge	N		
Carex tumulicola	foothill sedge	N		Moist to upland prairie species
Cynosurus cristatus	crested dogtail	E		
Dactylis glomerata	orchard grass	E	I	Weed of open to shaded habitats



Latin Name	Common Name	N/E	R/I	Notes
Danthonia californica	California oatgrass	N		Upland prairie species
Deschampsia cespitosa	tufted hairgrass	N		Dominant native wet prairie species
Echinochloa crus-galli	barnyard grass	E		
Elymus alaskanus ssp. latiglumis	broadglumed wheatgrass	N		Upland prairie species; uncommon on Willamette Valley floor
Elymus glaucus ssp. glaucus	blue wildrye	N		
Festuca arundinacea	tall fescue	E	I	Weed of moist, open to shaded habitats
Festuca rubra	red fescue	E		
Glyceria occidentalis	western mannagrass	N		
Holcus lanatus	common velvetgrass	E		
Juncus bufonius	toad rush	N		
Juncus effusus var. pacificus	soft rush	N		
Juncus ensifolius var. ensifolius	dagger leaved rush	N		
Juncus patens	spreading rush	N		
Juncus tenuis	slender rush	N		
Lolium multiflorum	Italian ryegrass	E		
Luzula comosa	Pacific woodrush	N		
Phalaris arundinacea	reed canarygrass	E	I	Aggressive weed of wet habitats
Phleum pratense	timothy	E		
Poa compressa	Canada bluegrass	E		
Poa pratensis ssp. pratensis	Kentucky bluegrass	E		
Scirpus microcarpus	small fruited bullrush	N		
Ventenata dubia	ventenata	E		
<b>Ferns and Fern Allies (5 species, 5 native)</b>				
Equisetum arvense	field horsetail	N		
Equisetum telmateia var. braunii	giant horsetail	N		
Polypodium glycyrrhiza	licorice fern	N		
Polystichum munitum	western sword fern	N		
Pteridium aquilinum var. pubescens	bracken fern	N		

